

**Amendments to the Claims:**

Listing of Claims - The following listing of claims is to replace all previous listing of claims.

- 1        1.        (Currently Amended) A method of utilizing a push model to provide access to a message list in  
2                one or more of a voice, a fax, an e-mail and a unified mailbox through a wireless network, the  
3                method comprising the steps of:
- 4                a.        determining if an updated mailbox content list is to be transmitted by a server to  
5                        a wireless device, wherein the server independently determines if and when to  
6                        transmit the updated mailbox content list, further wherein the updated mailbox  
7                        content list comprises a list of stored messages with multiple different message  
8                        formats;
- 9                b.        forming a first communication link through a wireless network between the  
10                        server and the wireless device;
- 11                c.        transmitting the updated mailbox content list from the server to the wireless  
12                        device over the first communication link;
- 13                d.        automatically receiving the updated mailbox content list by the wireless device  
14                        from the server through the first communication link;
- 15                e.        disconnecting the first communication link after the wireless device receives the  
16                        updated mailbox content list;
- 17                f.        scrolling through the updated mailbox content list and selecting a message  
18                        therefrom with the wireless device;
- 19                g.        forming a second communication link through the wireless network thereby  
20                        linking the wireless device and the server;
- 21                h.        selectively receiving the message on the wireless device from the server over  
22                        the second communication link; [[and ]]
- 23                i.        providing the message to a user of the wireless device; and
- 24                j.        transmitting a new updated mailbox content list to the wireless device after a  
25                        user accesses the message list using means other than the wireless device.

- 1 2. (Original) The method of Claim 1 further comprising a new message notification, including  
2 the updated content list.
- 1 3. (Original) The method of Claim 1 wherein the wireless network has a low data-bandwidth  
2 and a high data-latency.
- 1 4. (Original) The method of Claim 1 further comprising the step of the user scrolling through  
2 the updated mailbox content list without accessing the wireless network.
- 1 5. (Previously Presented) The method of Claim 1 further comprising the step of the user issuing a  
2 command using the wireless device.
- 1 6. (Original) The method of Claim 1 further comprising the step of the server playing the  
2 message according to a command given by the user.
- 1 7. (Currently Amended) A system for providing access to a message list in one or more of a  
2 voice, a fax, an e-mail and a unified mailbox through a wireless network comprising:  
3 a. a wireless device;  
4 b. a server; and  
5 c. a wireless network linking the wireless device with the server such that in operation the  
6 server determines if and when an updated mailbox content list is sent by the server to  
7 the wireless device, wherein the updated mailbox content list comprises a list of stored  
8 messages with multiple different message formats, a first communication link is formed  
9 between the server and the wireless device, the updated mailbox content list is  
10 automatically sent over the first communication link from the server to the wireless  
11 device, the first communication link is disconnected after the wireless device receives  
12 the updated mailbox content list, a message from the updated mailbox content list  
13 received by the wireless device is selected using the wireless device, a second  
14 communication link between the wireless device and the server is formed over the  
15 wireless network, [[and]] the selected message is sent to the wireless device over the  
16 second communication link, and a new updated mailbox content list is transmitted to the

17                   wireless device after a user accesses the message list using means other than the  
18                   wireless device.

- 1       8.       (Original)     The system of Claim 7 wherein the wireless network has a low data bandwidth  
2                   and a high data latency.
- 1       9.       (Previously Presented)The system of Claim 7 wherein the updated mailbox content list  
2                   includes a new message notification.
- 1       10.      (Previously Presented)The system of Claim 9 wherein after being sent by the server, the new  
2                   message notification and the updated content list can be viewed by a user with the wireless  
3                   device.
- 1       11.      (Previously Presented)The system of Claim 10 wherein the user may scroll through the  
2                   updated mailbox content list with the wireless device.
- 1       12.      (Previously Presented)The system of Claim 7 wherein a user selects the message by issuing a  
2                   command to the server.
- 1       13.      (Previously Presented)The system of Claim 12 wherein the server delivers the message  
2                   selected by the user and the message is played for the user by the wireless device.
- 1       14.      (Currently Amended) A method of providing access to a message list in one or more of a  
2                   voice, a fax, an e-mail or a unified mailbox through a wireless network, the method comprising  
3                   the steps of:  
4               a.       determining if a new message notification and an updated mailbox content list are to be  
5                   transmitted by a server to a wireless device, wherein the server independently  
6                   determines if and when to transmit the new message notification and the updated  
7                   mailbox content list, further wherein the updated mailbox content list comprises a list of  
8                   stored messages with multiple different message formats;  
9               b.       forming a first communication link through a wireless network between the server and  
10                   the wireless device;

- 11 c. transmitting the new message notification and the updated mailbox content list from the  
12 server to the wireless device over the first communication link;  
13 d. automatically receiving through the wireless network the new message notification and  
14 the updated mailbox content list from the server;  
15 e. disconnecting the first communication link after the wireless device receives the new  
16 message notification and the updated mailbox content list;  
17 f. remotely scrolling through the updated mailbox content list and selecting a message  
18 therefrom using the wireless device;  
19 g. forming a second communication link between the wireless device and the server;  
20 [[and]]  
21 h. receiving the message on the wireless device from the server over the second  
22 communication link and presenting the message; and  
23 i. transmitting a new updated mailbox content list to the wireless device after a user  
24 accesses the message list using means other than the wireless device.

1 15. (Canceled)

1 16. (Original) The method of Claim 14 further comprising the step of a user scrolling through  
2 the updated mailbox content list without accessing the data network.

1 17. (Previously Presented) The method of Claim 14 further comprising the step of a user issuing a  
2 command using the wireless device.

1 18. (Original) The method of Claim 14 further comprising the step of the server playing the  
2 message according to a command given by the user.

1 19. (Currently Amended) A system for providing access to a message list in one or more of a  
2 voice, a fax or a unified mailbox through a wireless network, the system comprising:  
3 a. means for determining if an updated mailbox content list is to be transmitted by a server  
4 to a wireless device, wherein the server independently determines if and when to  
5 transmit the updated mailbox content list, further wherein the updated mailbox content  
6 list comprises a list of stored messages with multiple different message formats;

- b. means for forming a first communication link through a wireless network between the server and the wireless device;
- c. means for transmitting the updated mailbox content list from the server to the wireless device over the first communication link;
- d. means for automatically receiving the updated mailbox content list by the wireless device from the server through the first communication link;
- e. means for disconnecting the first communication link after the wireless device receives the updated mailbox content list;
- f. means for scrolling through the updated mailbox content list and selecting a message therefrom with the wireless device;
- g. means for forming a second communication link through the wireless network thereby linking the wireless device and the server;
- h. means for selectively receiving the message on the wireless device from the server over the second communication link; [[and]]
- i. means for providing the message to a user of the wireless device; and
- j. means for transmitting a new updated mailbox content list to the wireless device after a user accesses the message list using means other than the wireless device.

20. (Original) The system of Claim 19 wherein a new message notification includes the updated mailbox content list.

21. (Original) The system of Claim 19 wherein the wireless network has a low bandwidth and a high latency.

22. (Original) The system of Claim 19 wherein the user scrolls through the updated mailbox content list without accessing the wireless network.

23. (Original) The system of Claim 19 wherein the user issues a command using the wireless device.

24. (Previously Presented) The system of Claim 19 wherein the server plays the message according to a command given by the user.